

CRAFTING IDEA

Gold-coloured metallic necklace

WWW.RAYHER.COM

GB



#### **Used items:**

22 885 01	Magnet clasp Olive, black	1 piece
83 031 616	Leatherette strap, metallic flat, gold	2 m
83 031 572	Leatherette strap, metallic flat, anthracite	2 m
14 201 616	Glass faceted bead, 6 mm ø, gold semi-opaque	32 pieces
14 201 572 14 201 576 14 063 01 89 300 576 22 885 01	Glass faceted bead, 6 mm ø, anthracite opaque	12 pieces 12 pieces 1 g

#### Additionally you need:

21 548 00	Special needle to thread beads	
24 068 00	Special wire to thread beads	some
33 397 00	Glue for jewellery	some
89 378 00	Craft scissors	

### Instructions:

- 1 Thread the glass faceted beads in the following order: gold, anthracite, gold, black, gold, anthracite, gold.
- 2 Thread a Rocaille bead, a gold glass faceted bead and a further Rocaille bead, and then thread through the subjacent glass faceted bead.
- 3 Thread back through the Rocaille and glass faceted bead.
- 4 Thread an anthracite glass faceted and a Rocaille bead and then thread through the subjacent glass faceted bead. Then, thread back through the Rocaille and the anthracite glass faceted bead.
- 5 Then thread successively at a time the colour matching glass faceted beads with Rocailles.
- 6 In this row, thread by alternating the colours from anthracite to black, from black to anthracite, 2 rows respectively.















## Rayher.

#### WWW.RAYHER.COM

You will find material specifications and instructions © 2018, Rayher Hobby GmbH on our homepage.



- 7 Thread 8 rows in total.
- 8 Sew the both ends together, thread thereby successively 2 Rocailles at the outer side and 1 Rocaille successively between them.
- 9 Cut the gold leatherette strap (4 × 50 cm) and the anthracite one (4  $\times$  50 cm) to size by means of the scissors. Hold the ends flush and fix them with some wire.
- 10 Now, thread your beaded jewellery up and lay the necklace round. Fix the ends with wire, cut the rest off. At the end, affix the ends into the magnet clasp with some glue for jewellery and let it harden for 12 hours.





# Rayher.

WWW.RAYHER.COM

You will find material specifications and instructions on our homepage.

© 2018, Rayher Hobby GmbH