



Used items:

23 102 576	Metal lampshade frame, ø 17 cm, black	1 piece
41 009 000	Corn leaves rope, twisted, ø 5 mm	15.5 m
55 832 576	Sisal rope in ball, ø 1 mm, black	1.8 m
23 101 576	Metal table lamp base with ring nut	1 piece

Additionally you need:

Hot-melt glue, scissors, light bulb E27

Instructions:

- 1 Start by winding the rope around the top ring of the lampshade, near the longitudinal brace. To do this, glue the beginning of the corn husk rope using hot-melt glue, by overlapping it from the back. Press well together and wait until the glue has cooled down.
- 2 Now pull the rope downwards, parallel to the brace at the front and wind it one and a half times around the lower ring. Then pull the rope up from the back and wind it up one and a half times so that you can pull it down again from the front.
- 3 Repeat these windings until all the gaps are covered.
- 4 Secure the end of the rope in place, using hot-melt glue, on the last winding and against the opposite rope.
- TIP If you need a new corn husk rope, glue the beginning and end of the rope at a barely visible spot using hot-melt glue.
- 5 Weave the sisal rope several times through the outer strands of the corn husk rope in the bottom third.
- **6** As a final step, fit the lampshade to the lamp base, screw on the shade holder tightly and screw in the light bulb.
- **TIP** If the corn husk rope ever untwists during winding, secure it in place using hot-melt glue.















Rayher.

WWW.RAYHER.COM

More craft ideas and additional material information can be found on our website.

© 2025, Rayher Hobby GmbH

